



Technical Parameters

Model	Opening Size	VOL (Ltrs.)	Size Parameters (mm)											Base	Weight (kg)
			D1	D	H±10	H1	H2	L	F	WA	WLA	WB	WLB		
18×36	T 4"	118.1	463	451	920	900	595	96	100	7	3	7	2	Round	9±1.5
18×53	T 4"	186.5	463	451	1350	1330	1025	96	100	7	3	7	2	Round	14±1.5
18×65	T 4"	235.0	463	451	1655	1635	1330	96	100	7	3	7	2	Round	16±1.5



4"-8UN internal thread	
Middle Dia	3.918-3.930"
Min Dia	3.865-3.875"
Max Dia	4.000-4.010"

Remark  
 1. Product type identification see outer packaging logo.  
 2. The product color is consistent with the color of the tape packaging box.

**Note**

- The vacuum valve must be installed on the device.
- Operation Instructions:  
 A. Max working pressure: 8bar (125Psi) B  
 . Temperature Range: 1-50°C (34-127°F)  
 C. Maximum vacuum: 17Kpa (5" Hg)

Sign		Hebei Chengda WaterTechnology Co., Ltd.			
	Signature	Date	Material:	FRP	Projection:
Designer	Chengyang Sun	2024.07.18	Model:	18" T 4"	Name: FRP tank
Review	Jingwei Hu	2024.07.18	Version number: 00	Description of Change Version	Drawing No.
Approve					CD-22-09-27/20
			Please don't measure the size of the drawing	Unit: mm	1 Page Page 1